

Reg No.: \_\_\_\_\_

Name: \_\_\_\_\_

**APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY**  
FIRST SEMESTER B.TECH DEGREE EXAMINATION, DECEMBER 2017

**Course Code: MA101**

**Course Name: CALCULUS**

Max. Marks: 100

Duration: 3 Hours

**PART A**

*Answer all questions, each carries 5 marks.*

- |   |   | Marks |
|---|---|-------|
| 1 | a) Test the convergence of the series $\sum_{k=1}^{\infty} \frac{1}{\sqrt[3]{2k-1}}$ .  | (2)   |
|   | b) Find the radius of convergence of $\sum_{n=1}^{\infty} \frac{x^n}{2n+3}$ .   | (3)   |
| 2 | a) Find the Slope of the surface $z = xe^{-y} + 5y$ in the $y$ -direction at the point $(4,0)$ .  | (2)   |
|   | b) Find the derivative of $z = \sqrt{1+x-2xy^4}$ with respect to $t$ along the path $x = \log t, y = 2t$ .                                      | (3)   |
| 3 | a) Find the directional derivative of $f = x^2y - yz^3 + z$ at $(-1, 2, 0)$ in the direction of $a = 2i + j + 2k$ .                             | (2)   |
|   | b) Find the unit tangent vector and unit normal vector to $r(t) = 4 \cos t i + 4 \sin t j + t k$ at $t = \frac{\pi}{2}$ .                       | (3)   |
| 4 | a) Evaluate $\int_0^{\log 3} \int_0^{\log 2} e^{x+2y} dy dx$ .  | (2)   |
|   | b) Evaluate $\iint_R xy dA$ , where $R$ is the region bounded by the curves $y = x^2$ and $x = y^2$ .   | (3)   |
| 5 | (a) Find the divergence and curl of the vector $F(x, y, z) = yz i + xy^2 j + yz^2 k$ .  | (2)   |
|   | (b) Evaluate $\int_C (3x^2 + y^2) dx + 2xy dy$ along the circular arc $C$ given by $x = \cos t, y = \sin t$ for $0 \leq t \leq \frac{\pi}{2}$ . | (3)   |
| 6 | (a) Use line integral to evaluate the area enclosed by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ .                                    | (2)   |
|   | (b) Evaluate $\int_C (x^2 - 3y) dx + 3x dy$ , where $C$ is the circle $x^2 + y^2 = 4$ .   | (3)   |

**PART B**

**Module 1**

*Answer any two questions, each carries 5 marks.*

- |   |   |     |
|---|---|-----|
| 7 | Test the convergence or divergence of the series $\sum_{n=1}^{\infty} \left(\frac{n}{n+1}\right)^{n^2}$ . | (5) |
|---|---|-----|

8 Test the absolute convergence of  $\sum_{k=1}^{\infty} (-1)^{k+1} \frac{(2k)!}{(3k-2)!}$ . (5)

9 Find the Taylor series for  $\frac{1}{1+x}$  at  $x=2$ . (5)

### Module II

*Answer any two questions, each carries 5 marks.*

10 Find the local linear approximation L to  $f(x, y) = \log(xy)$  at P(1,2) and compare the error in approximating f by L at Q(1.01, 2.01) with the distance between P and Q. (5)

11 Let  $w = 4x^2 + 4y^2 + z^2$ ,  $x = \rho \sin \phi \cos \theta$ ,  $y = \rho \sin \phi \sin \theta$ ,  $z = \rho \cos \phi$ . Find  $\frac{\partial w}{\partial \rho}$ ,  $\frac{\partial w}{\partial \phi}$  and  $\frac{\partial w}{\partial \theta}$ . (5)

12 Locate all relative extrema and saddle points of  $f(x, y) = 4xy - x^4 - y^4$ . (5)

### Module III

*Answer any two questions, each carries 5 marks.*

13 Find the equation of the tangent plane and parametric equation for the normal line to the surface  $x^2 + y^2 + z^2 = 25$  at the point (3,0, 4). (5)

14 A particle is moving along the curve  $r(t) = (t^3 - 2t)i + (t^2 - 4)j$  where  $t$  denotes the time. Find the scalar tangential and normal components of acceleration at  $t=1$ . Also find the vector tangential and normal components of acceleration at  $t=1$ . (5)

15 The graphs of  $r_1(t) = t^2i + tj + 3t^3k$  and  $r_2(t) = (t-1)i + \frac{1}{4}t^2j + (5-t)k$  are intersect at the point P(1,1,3). Find, to the nearest degree, the acute angle between the tangent lines to the graphs of  $r_1(t)$  &  $r_2(t)$  at the point P(1,1,3). (5)

### Module IV

*Answer any two questions, each carries 5 marks.*

16 Change the order of integration and evaluate  $\int_0^1 \int_{4x}^4 e^{-y^2} dy dx$ . (5)

17 Use triple integral to find the volume bounded by the cylinder  $x^2 + y^2 = 9$  and between the planes  $z = 1$  and  $x + z = 5$ . (5)

18 Find the area of the region enclosed between the parabola  $y = \frac{x^2}{2}$  and the line  $y = 2x$ . (5)

### Module V

*Answer any three questions, each carries 5 marks.*

19 Determine whether  $F(x, y) = (\cos y + y \cos x)i + (\sin x - x \sin y)j$  is a conservative vector field. If so find the potential function for it. (5)

20 Show that the integral  $\int_{(1,1)}^{(3,3)} (e^x \log y - \frac{e^y}{x}) dx + (\frac{e^x}{y} - e^y \log x) dy$ , where  $x$  and  $y$  are positive is independent of the path and find its value. (5)

21 Find the work done by the force field  $F(x, y, z) = xyi + yzj + xzk$  on a particle that moves along the curve  $C : r(t) = ti + t^2j + t^3k$  ( $0 \leq t \leq 1$ ). (5)

- 22 Let  $\vec{r} = xi + yj + zk$  and  $r = \|\vec{r}\|$ , let  $f$  be a differentiable function of one variable, (5)  
then show that  $\nabla f(r) = \frac{f'(r)\vec{r}}{r}$ .
- 23 Find  $\nabla \cdot (\nabla \times F)$  and  $\nabla \times (\nabla \times F)$  where  $F(x, y, z) = e^{xz}i + 4xe^y j - e^{yz}k$ . (5)

### Module VI

*Answer any three questions, each carries 5 marks.*

- 24 Use Green's Theorem to evaluate  $\int_C \log(1+y)dx - \frac{xy}{(1+y)}dy$ , where  $C$  is the (5)  
triangle with vertices  $(0,0)$ ,  $(2,0)$  and  $(0,4)$ .
- 25 Evaluate the surface integral  $\iint_{\sigma} xz ds$ , where  $\sigma$  is the part of the plane  $x + y + z = 1$  (5)  
that lies in the first octant.
- 26 Using Stoke's Theorem evaluate  $\int_C F \cdot dr$  where  $F(x, y, z) = xzi + 4x^2y^2j + yxk$ ,  $C$  (5)  
is the rectangle  $0 \leq x \leq 1, 0 \leq y \leq 3$  in the plane  $z = y$ .
- 27 Using Divergence Theorem evaluate  $\iint_{\sigma} \vec{F} \cdot n ds$  where (5)  
 $F(x, y, z) = x^3i + y^3j + z^3k$ ,  $\sigma$  is the surface of the cylindrical solid bounded by  
 $x^2 + y^2 = 4, z = 0$  and  $z = 4$ .
- 28 Determine whether the vector fields are free of sources and sinks. If it is not, (5)  
locate them  
(i)  $(y+z)i - xz^3j + x^2 \sin yk$  (ii)  $xyi - 2xyj + y^2k$

\*\*\*\*